

ABSTRACT

It is an object of the present invention to provide a liquid composition which comprises an acid/acid salt group-containing polymer and from which cured articles excellent in mechanical characteristics and undergoing only slight dimensional changes depending on the moisture content can be produced by application thereof to a substrate or impregnation of a porous material therewith.

The present invention relates to a fluoropolymer liquid composition comprising a fluoropolymer liquid (A) which comprises a liquid medium and a crosslinkable functional group-containing crosslinkable fluoropolymer,

wherein said fluoropolymer liquid (A) is a fluoropolymer liquid dispersion (AD) having, dispersed in a liquid dispersion medium, particles of a crosslinkable fluoropolymer (PD) containing acid/acid salt groups or organic groups capable of undergoing hydrolysis and thus being converted to carboxyl groups, or a fluoropolymer solution (AS) having, dissolved in a fluorosolvent or an alcohol/water mixed solvent, a crosslinkable fluoropolymer (PS) containing acid/acid salt groups or acid/acid salt groups precursors;

said acid/acid salt groups are sulfonic acid groups, carboxyl groups or groups of the formula $-\text{SO}_2\text{NR}^2\text{R}^3$, $-\text{SO}_3\text{NR}^4\text{R}^5\text{R}^6\text{R}^7$, $-\text{SO}_3\text{M}^1_{1/L}$, $-\text{COONR}^8\text{R}^9\text{R}^{10}\text{R}^{11}$ or $-\text{COOM}^2_{1/L}$, wherein R^2 represents a hydrogen atom or $\text{M}^5_{1/L}$, R^3 represents an alkyl group or an sulfonyl-containing group, R^4 , R^5 , R^6 , R^7 , R^8 , R^9 , R^{10} and R^{11} are the same or different and each represents a hydrogen atom or an alkyl group, and M^1 , M^2 and M^5 each represents a metal having a valence of L, said metal having a valence of L being a metal belonging to the group 1, 2, 4, 8, 11, 12 or 13 of the periodic table; and

said acid/acid salt groups precursors are $-\text{SO}_2\text{F}$, $-\text{SO}_2\text{NR}^{22}\text{R}^{23}$ (wherein R^{22} and R^{23} are the same or different and

each represents an alkyl group) or organic groups capable of undergoing hydrolysis and thus being converted to carboxyl groups.